

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
(Case No. 00-1123-H)

In application of:	)	
Cunningham, et al.	)	
U.S. Patent No.	)	Examiner: Chin
6,951,715	)	
Filed: January 28, 2002	)	Group Art Unit: 1641
	)	
For: Optical Detection of Label-Free	)	Conf. No. 4870
Biomolecular Interactions Using	)	
Microreplicated Plastic Sensor Elements	)	

**REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE**  
**UNDER 37 CFR § 1.322**

Commissioner for Patents  
Office of Patent Publication  
Attn: Certificate of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Patentees respectfully request correction of a misspelling of the term "colorimetric" in the above-mentioned patent. This misspelling was not present in the text of the specification as filed, and appears to be an Office error. Form PTO/SB/44, which specifies the location of the misspelling, is attached.

It is believed that no fee is due in connection with this filing; however, if a fee is due the Commissioner is authorized to charge our Deposit Account 13-2490.

Respectfully submitted,

Date: August 7, 2008

/Lisa M.W. Hillman/  
Lisa M.W. Hillman, Ph.D  
Registration No. 43,673